
GENERAL ARTWORK DIMENSION

Safe Zone : 5mm not printable for all edges

Example: Static Cling Window Sticker size 130mm x 170mm, therefore

Actual Size : 130mm x 170mm

Safe Zone : 120mm x 160mm



FILE FORMAT

Adobe Acrobat Document (*.pdf)

Provide better printing quality

MARKING AND TRAPPING

Do not apply any crop mark and trapping to your files, including box or bleeding marking or margin marking.



STANDARD CHECKLIST

ARTWORK

- Artwork is prepared in our Product Size Templates
- Vital elements are within Safe Zone
- No crop mark are applied

FILE FORMAT

- Adobe Acrobat Document (*.pdf)
- Resolution: 300 dpi
- Total File Size: below 5 MB / file
- File Name: abc_faceout / abc_facein

FONTS

Curve / Path / Create outline all fonts

LINE WEIGHT

• No lines are less than 0.25pts


MARKING & TRAPPING

• Do not apply any crop mark and trapping to your files, including box, bleeding marking, margin marking and custom die cut (Dotted line).




WHITE BASE ARTWORK PREPARATION METHOD

Example: Face Out View



Example: Face In View




Page 1: White Base Artwork

Page 2: CMYK Printing



WHITE BASE ARTWORK PREPARATION METHOD

Example: Both Side View



Page 1: White Base Artwork

Page 2: CMYk	Printing with	Face In Artwork
--------------	---------------	-----------------


IMPORTANT NOTES IN PREPARING WHITE BASE ARTWORK


- 1. Fill the artwork with black (K100) to indicate the area for white base.
- Rename colour to precisely "White" to indicate the area of white base instead "WHITE" or "white" *Excard will not held responsibility on any wrong white spot colour naming error.
 (eg. "WHITE" or "white" or White(space))
- 3. Only use Adobe Illustrator to prepare the white base artwork.
- 4. JPEG file format or JPEG save in PDF format is not allowed while prepare white based artwork.
- 5. White based artwork must prepare in VECTOR



RENAME THE COLOR SWATCH NAME BY USING ADOBE ILLUSTRATOR








STEP 3

At swatch option choose color mode to "Spot Color" and rename the swatch name to "White"

Rename colour to precisely "White" - "W" must in CAPITAL LETTER - Make sure no space after "e"





STEP 4

Double confirm by checking the artwork is filled with **K100** with **"White**" swatch name.



FILE PREPARATION

Print Colour	Print Direction	File Name	File
4C + White Base	Face Out	Face Out	Page 1: CMYK Printing Page 2: White Base Artwork
	Face In	Face In	Page 1: White Base Artwork Page 2: CMYK Printing
4C + White Base + 4C	Both Side	Face Out	Page 1: CMYK Printing with Face Out Artwork Page 2: White Base Artwork
		Face In	Page 1: White Base Artwork Page 2: CMYK Printing with Face In Artwork

Please always refer to table below for page arrangement before submit your artwork.

Note:

1. 4C + White Base require to submit 1 file, either Face Out or Face In.

2. 4C + White Base + 4C require to submit 2 files, Face Out and Face In.

